

## TAPR Rod end SIR80-ES-SKF - SIR80-ES-SKF

<https://www.123bearing.com/bearing-housing/rod-end/tapr/sir80-es-skf>

Dimensions d'encombrement		Angle de déversement		Charges de base		Désignation			
d	d <sub>2</sub>	B	G	C <sub>1</sub>	h <sub>1</sub>	±	dynamique	statique	Embout à filetage à droite
mm	max.	6H	max.			degrés	C	C <sub>0</sub>	
80	178	55	M50x2	60,5	170	0	400	560	SIR 80 ES

  

Technical drawing showing front and side views of the bearing. Dimensions include: d = 80 mm, d<sub>2</sub> = 178 mm, B = 55 mm, G = M50x2, C<sub>1</sub> = 60,5 mm, h<sub>1</sub> = 170 mm. The drawing also shows a taper angle of 0 degrees. Other dimensions shown include C<sub>max</sub> = 99,5 mm, d<sub>max</sub> = 178 mm, and various fit tolerances like H7/k6, H7/k5, and H7/k6.

### PRODUCT FEATURES

Brand	SKF
N° Ean13	7316577003690
Inside diameter	80 mm
Outside diameter	178 mm
Thickness	55 mm
Type	TAPR
Weight	13000 g
Packaging	1

[contact@123bearing.com](mailto:contact@123bearing.com)

(646) 712 9672

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE